

## Selected Publications

- 1) **Gokce N**, Hollocher TC, Bazylinski DA, Jannasch HW. Thermophilic Bacillus sp. that shows the denitrification phenotype of *Pseudomonas aureginosa*. *Applied and Environmental Microbiology* 1989; 55: 1023-1025.
- 2) **Gokce N**, Loscalzo J: Are newer antithrombotic drugs better than aspirin after angioplasty? *Cardiology in Review* 1996; 4: 271-77
- 3) **Gokce N**, Frei B: Basic research in antioxidant inhibition of steps in atherogenesis. *Journal of Cardiovascular Risk* 1996; 3: 352-57.
- 4) **Gokce N**, Keaney JK Jr., Vita JA: Endotheliopathies: Clinical manifestations of endothelial dysfunction. In Loscalzo J, Schafer AI (eds). *Thrombosis and Hemorrhage. Second Edition*. Williams and Wilkins, 1998, pp. 901-924.
- 5) Charo S, **Gokce N**, Vita JA: Endothelial dysfunction and coronary risk reduction. *J Cardiopulmonary Rehab* 1998; 18: 60-67.
- 6) Vita JA, Frei B, Holbrook M, **Gokce N**, Keaney JF Jr.: L-2-Oxothiazolidine-4-Carboxylic acid reverses endothelial dysfunction in patients with coronary artery disease. *J Clin Invest* 1998; 101: 1408-14.
- 7) **Gokce N**, Duffy SJ, Hunter LM, Keaney JF Jr., Vita JA: Acute hypertriglyceridemia is associated with peripheral vasodilation and increased basal flow in healthy young adults. *Am J of Cardiol* 2001; 88: 153-159.
- 8) Djoussé L, Ellison RC, McLennan C, Cupples LA, Lipinska I, Toefler J, **Gokce N**, Vita JA. Acute effects of a high-fat meal with and without red wine on endothelial function. *Am J Cardiol* 1999; 84: 660-664.
- 9) **Gokce N**, Keaney JF Jr., Frei B, Holbrook M, Olesiak M, Zachariah BJ, Leeuwenburgh C, Heinecke JW, Vita JA: Chronic ascorbic acid administration reverses endothelial vasomotor dysfunction in patients with coronary artery disease. *Circulation* 1999; 99: 3234-3240.
- 10) Duffy SJ, **Gokce N**, Holbrook M, Huang A, Frei B, Keaney JF Jr., Vita JA. Treatment of hypertension with ascorbic acid. *The Lancet* 1999; 354: 2048-2049.
- 11) **Gokce N**, Loscalzo J. Endothelial dysfunction and atherosclerosis. In Wilson, P.W.F. (eds). *Atlas of Atherosclerosis: risk factors and treatment. 2<sup>nd</sup> ed.* Current Medicine 2000; 21-40.
- 12) Duffy SJ, **Gokce N**, Holbrook M, Hunter LM, Biegelsen ES, Huang A, Keaney JF Jr., Vita JA. Effect of ascorbic acid treatment on conduit vessel endothelial dysfunction in patients with hypertension: a randomized, placebo controlled study. *American Journal of Physiology* 2001; 280: H 528-H 534.
- 13) Duffy SJ, Frei B, Holbrook M, Swerdlow P, Biegelsen ES, **Gokce N**, Germani RM, Russell JD, Keaney JF Jr., Vita JA. Acute and chronic tea consumption reverses endothelial dysfunction in patients with coronary artery disease. *Circulation* 2001; 104: 151-156.
- 14) Duffy SJ, Biegelsen ES, Holbrook M, Russell JD, **Gokce N**, Keaney JF, Jr, Vita JA. Iron chelation improves endothelial function in patients with coronary artery disease. *Circulation* 2001; 103: 2799-2804.
- 15) **Gokce N**, Vita JA: Clinical manifestations of endothelial dysfunction. In Loscalzo J, Schafer AI (eds). *Thrombosis and Hemorrhage. Third Edition*. Lippincott, Williams and Wilkins, 2002: 685-706.
- 16) **Gokce N**, Keaney JF Jr, Hunter LM, Watkins MT, Menzoian JO, Vita JA. Risk stratification for postoperative cardiovascular events via noninvasive assessment of endothelial function. A prospective study. *Circulation* 2002; 105: 1567-1572.
- 17) **Gokce N**, Vita JA, Bader DS, Sherman DL, Hunter LM, Holbrook M, O'Malley C, Keaney JF Jr, Balady GJ. Effects of exercise on upper and lower extremity endothelial function in patients with coronary artery disease. *American Journal of Cardiology* 2002; 90: 124-127.
- 18) **Gokce N**, Holbrook M, Duffy SJ, Demissie S, Cupples LA, Biegelsen E, Keaney JF, Loscalzo J, Vita JA. Effects of race and hypertension on flow-mediated and nitroglycerin-mediated dilation of the brachial artery. *Hypertension* 2001; 38: 1349-1354.

- 19) Amar S, **Gokce N**, Morgan S, Loukidelli M, Van Dyke TE, Vita J. Periodontal disease is associated with brachial artery endothelial dysfunction and systemic inflammation. *Arterioscler Thromb Vasc Biol* 2003; 23: 1245-1249.
- 20) **Gokce N**, Holbrook M, Hunter LM, Palmisano J, Vigalok E, Keaney JF Jr., Vita JA. Acute effects of vasoactive drug treatment on brachial artery reactivity. *J Am Coll Cardiol* 2002; 40: 761-765.
- 21) Kahn DF, Duffy SJ, Tomaszian D, Holbrook M, Rescorl L, Russell J, **Gokce N**, Loscalzo J, Vita JA. Effects of black race on forearm resistance vessel function. *Hypertension* 2002; 40: 195-201.
- 22) Nedeljkovic Z, **Gokce N**, Loscalzo J. Mechanisms of oxidative stress and vascular dysfunction. *Postgraduate Medical Journal* 2003, 79: 195-200.
- 23) **Gokce N**, Carr J, Loscalzo J. Vascular biology and pathobiology in acute coronary syndromes. In Becker, RC, Harrington, RA (eds). Clinical, Interventional, and Investigational Thrombocardiology. Taylor & Francis 2005; 55-72.
- 24) **Gokce N\***, Kuvit JT\* Holbrook M, Hunter LM, Patel AR, Sliney KA, Craven DE, Grayston JT, Keaney, JF Jr., Karas RH, Vita JA. Effect of short-term antibiotic treatment on *Chlamydia pneumoniae* and peripheral endothelial function. *American Journal of Cardiology* 2003, 91; 732-735. (\*contributed equally).
- 25) Widlansky ME, Price DT, **Gokce N**, Eberhardt RT, Duffy SJ, Holbrook M, Maxwell C, Palmisano J, Keaney JF Jr, Morrow JD ,Vita JA. Short and long-term COX-2 inhibition reverses endothelial dysfunction in patients with hypertension. *Hypertension* 2003; 42: 310-315.
- 26) Vita JA, **Gokce N**, Duffy SJ, Kahn DF, Tomaszian D, Palmisano J, Thomas S, Holbrook M, Keaney JF, Jr. Effect of atorvastatin on endothelium-dependent vasodilation in patients with coronary artery disease. *Am J Cardiol* 2003, 91: 857-860.
- 27) **Gokce N**, Keaney JF Jr, Hunter LM, Watkins MT, Nedeljkovic Z, Menzoian JO, Vita JA. Predictive value of non-invasively determined endothelial dysfunction for long-term cardiovascular events in patients with peripheral vascular disease. *J Am Coll Cardiol* 2003, 41: 1769-1775.
- 29) Shishehbor MH, Aviles RJ, Brennan M-L, Fu X, Goormastic M, Pearce GL, **Gokce N**, Keaney JF Jr, Penn MS, Sprecher DL, Vita JA, Hazen SL. Association of nitrotyrosine levels with cardiovascular disease and modulation by statin therapy. *JAMA* 2003, 289: 1675-1680.
- 30) **Gokce N**, Loscalzo J. The endothelium in atherosclerosis. In Wilson, P.W.F. (eds). *Atlas of Atherosclerosis: risk factors and treatment*. 3rd ed. Current Medicine 2003; 21-40.
- 31) Widlansky ME, **Gokce N**, Keaney JF Jr., Vita JA. The clinical implications of endothelial dysfunction. *J Am Coll Cardiol* 2003; 42: 1149-60.
- 32) **Gokce, N**. L-arginine and hypertension. *Am. J. Nutrition* 2004; 134: 2807S-2811S.
- 33) Vita JA, Brennan M-L, **Gokce N**, Mann SA, Goormastic M, Shishehbor MH, Penn MS, Keaney JF Jr, Hazen SL. Serum myeloperoxidase levels independently predict endothelial dysfunction in humans. *Circulation* 2004; 110: 1134-1139.
- 34) **Gokce N**, Vita JA, McDonnell M, Forse RA, Istfan N, Stoeckl M, Lipinska I, Keaney JF Jr, Apovian CM. Effect of medical and surgical weight loss on endothelial vasomotor function in obese patients. *Am J Cardiol* 2005; 95: 266-268.
- 35) Widlansky M, Duffy SJ, Hamburg N, **Gokce N**, Warden BA, Wiseman S, Keaney JF Jr, Frei B, Vita JA. Effects of Black Tea Consumption on Plasma Catechins and Markers of Oxidative Stress and Inflammation in Patients with Coronary Artery Disease. *Free Radical Biology & Medicine* 2005; 38: 499-506.
- 36) Walter R, Schroeksnadel K, Fuchs D, Vita JA, Keaney JF, Jr, **Gokce N**, Brennan M-L, Mann SA, Goormastic M, Shishehbor MH, Penn MS, Hazen SL. Letter regarding article by Vita et al. "Serum myeloperoxidase levels independently predict endothelial dysfunction in humans" response. *Circulation* 2005; 111: e167-e168
- 37) **Gokce N**, Loscalzo J. The endothelium in atherosclerosis. In Grundy, SM (eds). *Atlas of Atherosclerosis: risk factors and treatment*. 4rd ed. Current Medicine 2005; 1-20.
- 38) Nedeljkovic Z, **Gokce N**. Oxidative stress and exercise. *J. Cardiopulmonary Rehab* 2005; 25: 220-221.
- 39) **Gokce N**. Emergency Echocardiography. Neskovic AN, Flachskampf MA, Picard MH. Book review. *Circulation* 2006; 113: e24.

- 40) Guo W, Bigornia S, Leizerman I, Xie K, McDonnell M, Clemente K, Pirtskhala T, Kirkland JL, **Gokce N**, Corkey BE, Sullivan LM, Apovian C. New scanning electron microscopic method for determination of adipocyte size in humans and mice. *Obesity* 2007; 15: 1657-65.
- 41) McMackin CJ, Widlansky ME, Hamburg NM, Huang AL, Weller S, Holbrook M, **Gokce N**, Hagen TM, Keaney JF, Jr., Vita JA. Effect of combined treatment with alpha lipoic acid and acetyl-L-carnitine on vascular function and blood pressure in coronary artery disease patients. *J Clin Hypertens* 2007; 9: 249-255.
- 42) Meyers M, **Gokce N**. Endothelial dysfunction in obesity: etiologic role in atherosclerosis. *Current Opinion in Endocrinology & Diabetes* 2007;14: 365-369.
- 43) Arkin J, Alsdorf R, Bigornia S, Palmisano J, Beal R, Istfan N, Hess D, Apovian CA, **Gokce N**. Relation of cumulative weight burden to vascular endothelial dysfunction in obesity. *Am J Cardiol* 2008; 101: 98-101.
- 44) Huang AL, Silver AE, Shvenke E, Schopfer DW, Jahangir E, Titas MA, Shpilman A, Menzoian JO, Watkins MT, Raffetto JD, Gibbons G, Woodson J, Shaw PM, Dhadly M, Eberhardt RT, Keaney JF, Jr, **Gokce N**, Vita JA. Predictive value of reactive hyperemia for cardiovascular events in patients with peripheral arterial disease undergoing vascular surgery. *Arterioscl Thromb Vasc Biol* 2007; 27: 2113-2119.
- 45) Hamburg N, McMackin CJ, Huang AL, Shenouda SM, Widlansky ME, Schulz E, **Gokce N**, Ruderman NB, Keaney JF Jr, Vita JA. Physical inactivity rapidly induces insulin resistance and microvascular dysfunction in healthy volunteer. *Arterioscl Thromb Vasc Biol* 2007; 27: 2650-2656.
- 46) Vitseva O, Tanriverdi K, Tchkonia T, Kirkland JL, McDonnell M, Apovian CA, Freedman JA, **Gokce N**. Inducible Toll-like receptor and NF- $\kappa$ B regulatory pathway expression in human adipose tissue. *Obesity* 2008; Feb 21 [Epub ahead of print],1-6.
- 47) Bigornia S, Mott, Hess D, Apovian CM, McDonnell M, Duess MA, Kluge M, Fiscale A, Vita JA, , **Gokce N**. Long-term successful weight loss improves vascular endothelial function in severely obese individuals. *Obesity* 2010 Apr;18(4):754-9. Epub 2010 Jan 7
- 48) Apovian CM, Bigornia S, Mott M, Meyers MR, Ulloor L, Gagua M, McDonnell M, Hess D, Joseph L, **Gokce N**. Adipose macrophage infiltration is associated with proinflammatory gene expression and systemic vascular endothelial dysfunction in obese subjects. *Arterioscl Thromb Vasc Biol* 2008; 28: 1654-1659.
- 49) Chung WB, Hamburg NM, Holbrook M, Shenouda SM, Dohadwala MM, Terry DF, Gokce N, Vita JA. The brachial artery remodels to maintain local shear stress despite the presence of cardiovascular disease risk factors. *Arterioscl Thromb Vasc Biol* 2009; 29: 606-12.
- 50) Apovian CM, Bigornia S, Cullumdugan D, Schoonmaker C, Radziejowska J, Phipps J, **Gokce N**, Istfan N, Meyers A, Lenders CM. Milk-based nutritional supplements in conjunction with lifestyle intervention in overweight adolescents. *ICAN: Infant, Child, and Adolescent Nutrition* 2009, 1; 37-44.
- 51) Adiponectin promotes macrophage polarization towards an anti-inflammatory phenotype. Ohashi K, Parker JL, Ouchi N, Higuchi A, Vita JA, **Gokce N**, Pedersen AA, Kalthoff C, Tullin S, Sams A, Summer R, Walsh K. *Journal of Biological Chemistry* 2010; 285: 6153-60.
- 52) Hamburg N, Mott M, Bigornia S, Duess MA, Kluge M, Hess DT, Hess D, Vita JA, **Gokce N**. Maladaptive enlargement of the brachial artery in severe obesity is reversed with weight loss. *Vascular Medicine* 2010 Jun;15(3):215-22. Epub 2010 Apr 7.
- 53) Ouchi N, Higuchi A, Ohashi K, Oshima Y, **Gokce N**, Shibata R, Akasaki Y, Shimono A, Walsh K. [Sfrp5 Is an Anti-Inflammatory Adipokine That Modulates Metabolic Dysfunction in Obesity.](#) *Science*. 2010 Jun 17. [Epub ahead of print].
- 54) Gauthier M-S, O'Brien EL, Bigornia S, Mott M, Cacicedo JM, Xu XJ, **Gokce N**, Apovian C, Ruderman N. Decreased AMP-activated protein kinase activity is associated with increased inflammation in visceral adipose tissue and with whole-body insulin resistance in morbidly obese humans. *Biochem Biophys Res Commun* 2011 Jan 7;404(1):382-7. Epub 2010 Dec 3.

- 55) Farb M, Bigornia S, Mott M, Tanriverdi K, Morin KM, Freedman JE, Joseph L, Hess DT, Apovian CA, Vita JA, **Gokce N**. Reduced adipose tissue inflammation represents an intermediate cardiometabolic phenotype in obesity. *J Am Coll Cardiol* 2011; 58: 232-237. Editorial comment in same issue.
- 56) **Gokce, N**. Clinical assessment of endothelial function – ready for prime time? *Circulation: Cardiovascular Imaging* 2011; 4: 348-350.
- 57) Farb M, Ganley-Leal L, Mott M, Liang Y-M, Ercan B, Widlansky ME, Bigornia S, Fiscale A, Apovian C, Carmine B, Hess DT, Vita JA, **Gokce N**. Arteriolar function in visceral adipose tissue is impaired in human obesity. *Arterioscl Thromb Vasc Biol* 2012; 32(2):467-73. Epub 2011 Nov 17.
- 58) Bigornia S, Farb M, Mott M, Hess DT, Carmine B, Fiscale A, Joseph L, Apovian CA, **Gokce N**. Relation of depot-specific adipose inflammation to insulin resistance in human obesity. *Nutrition & Diabetes* 2012 (2012) 2, e30; doi:10.1038/nutd.2012.3; published online 5 March 2012
- 59) Xu J, **Gokce N**, Ruderman N. Insulin sensitive and resistant obesity in humans: AMPK activity, oxidative stress, and depot-specific changes in gene expression in adipose tissue. *J Lipid Res* 2012 (2012 Apr;53(4):792-801. Epub 2012 Feb 8.
- 60) McDonnell ME, Ganley-Leal LM, Mehta A, Bigornia S, Mott M, Rehman Q, Farb MG, Hess TD, Joseph LJ, **Gokce N**, Apovian CA. B lymphocytes in human subcutaneous adipose crown-like structures. *Obesity* 2012, Jul;20(7):1372-8. doi: 10.1038/oby.2012.54. Epub 2012 Mar 7.
- 61) Apovian CA, **Gokce N**. Clinician update: Obesity and cardiovascular disease. *Circulation* 2012. Mar 6;125(9):1178-82.
- 62) Johnston-Cox H., Koupenova M., Yang D., Corkey B, **Gokce N**, Farb M.G., LeBrasseur N. and Ravid K. (2012) The A2b Adenosine receptor modulates glucose homeostasis and obesity. *PLoS One*. 2012;7(7):e40584. Epub 2012 Jul 2
- 63) Tabit CE, Holbrook M, Fetterman JL, Shenouda SM, Kiani S, Frame AA, Kluge MA, Held A, Dohadwala M, **Gokce N**, Farb M, Rosenzweig J, Ruderman N, Vita JA, Hamburg NM. Protein Kinase-C Beta Contributes to Impaired Endothelial Insulin Signaling in Humans with Diabetes Mellitus. *Circulation*. 2013 Jan 1;127(1):86-95.